



Innovative Safety Solutions

# Anti-Slip FRP Deck Plates

## Anti-Slip FRP Deck Strip Features

- Made from Fiber Reinforced Polymers
- Waterproof and highly chemical resistant
- Beveled edges minimize trip hazards
- Made for interior and exterior applications; ideal for slippery areas
- Suitable for decking, walkways, bridges, piers/docks, etc.
- Can be trimmed on site using a fine-toothed saw if required

## Light Deck Strips Available in 7 distinct colors

## 2-inch and 4-inch widths available in our standard lengths

2 foot (24")  
3 foot (36")  
4 foot (48")  
5 foot (60")  
8 foot (96")

Custom lengths up to 12 feet available upon request

**Made in USA**



**Sure-Foot's Anti-Slip FRP Deck Strips provide a high level of slip resistance while delivering a durable permanent anti-slip solution.**

Sure-Foot's Grit-Coated FRP (Fiber Reinforced Polymers) Deck Strips are made with a proprietary blend of mineral abrasive epoxy grit. Fiberglass deck strips are lightweight and ideal for use on structurally sound flooring and decking. Any walking surfaces such as inclines, floors, steps and decking can be equipped with these Deck Plates. Sure Foot's Deck Strips meet and exceed OSHA and ADA recommendations for slip-resistance.

For residential and light industrial applications, Sure-Foot recommends the LIGHT Grit option. These Light Grit Deck Strips are suitable for barefoot traffic and are available in 7 popular colors: Pool Blue, Tan, Brown, Grey, White, Yellow and Black.

### Residential & Light Industrial Applications

Grit size	30/50 Mesh Blend of Abrasive Grit
Colors	Pool Blue, Tan, Brown, Grey, White, Yellow, and Black
Thickness	0.151" including grit (beveled edges)

**Warning:** Drilling, sawing, sanding or machining fiberglass can expose you to fiberglass dust that contains styrene, a substance that is known to the State of California to cause cancer. Avoid inhaling fiberglass dust. For your protection, Proper use of Personal Protection Devices are recommended. For more information go to [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

**CONTACT US FOR A SAMPLE AT 800-522-6566**



## Light Deck Strips for Consumer and Light Industrial Applications

Available in 7 unique  
colors:

#01- White  
#02- Black  
#03- Grey  
#06- Brown  
#07- Tan  
#23- Pool Blue  
#48- Yellow

2-inch and 4-inch  
widths available in  
standard lengths of  
24", 36", 48",  
60" & 96"


Custom lengths up to  
12 feet are available  
upon request

Install using  
adhesive and/or  
mechanical fasteners

Visit  
[www.surefootcorp.com](http://www.surefootcorp.com)  
for additional  
installation instructions

## » FIBERGLASS DECK STRIP WITH LIGHT GRIT SPECIFICATIONS

Mineral abrasive epoxy grit-coating is embedded to a Thermoset Polyester Fiber Reinforced Polymer base. Deck Plates are available in 2" and 4" widths and are .125" thick prior to grit-coating with transitions on both sides to .065" thickness to minimize trip hazards.



## » LIGHT FIBERGLASS DECK STRIP SPECIFICATIONS

Grit is a 30/50 Mesh Blend of Abrasive Grit. Light Fiberglass Deck Strips are ideal for decking, walkways, bridges, docks, piers and are suitable for barefoot traffic. 2 and 4 inch widths are available in our standard lengths of 24", 36", 48", 60", and 96". Custom lengths up to 144" are available upon request. These strips should be installed using adhesive and/or mechanical fasteners to any structurally sound, flat surface.



20260 First Avenue | Cleveland, Ohio 44130 | Toll Free: 800-522-6566 | [www.surefootcorp.com](http://www.surefootcorp.com)  
AMERICAN MADE & AMERICAN OWNED SINCE 1979



## Anti-Slip FRP Deck Strip Advantages

- Made from Fiber Reinforced Polymers
- Highly chemical resistant
- Beveled edges minimize trip hazards
- Made for industrial applications; ideal for heavy wear areas
- Suitable for loading docks, walkways, bridges, ramps, inclines etc. (incompatible for barefoot traffic)
- For Industrial, Marine, and Off-Shore Applications
- Can be trimmed on site using a fine-toothed saw

**Available in Black or Yellow**

**Available in 2 grit options:  
Heavy Duty/Coarse and Medium**


**2 inch and 4 inch widths available in our standard lengths of 24", 36", 48", 60" & 96"**

**Custom lengths up to 12 feet are available upon request**



## » INDUSTRIAL FIBERGLASS DECK STRIP SPECIFICATIONS

Mineral abrasive epoxy grit-coating is embedded to a Thermoset Polyester Fiber Reinforced Polymer base. Deck Plates are available in 2" and 4" widths and are .125" thick prior to grit-coating with transitions on both sides to .065" thickness. Can be ordered in MEDIUM Grit or HEAVY DUTY/ COARSE Grit in Black or Yellow.

### MEDIUM GRIT



### HEAVY DUTY GRIT




Our Medium and Heavy Duty Grit surfaces meet and exceed OSHA and ADA recommendations for slip resistance.

### Deck Strips-Commercial & Off-Shore Applications

Medium Grit	20/30 Mesh Blend of Mineral Abrasive Grit
Medium Thickness	0.18" (beveled edges)
Heavy-Duty/Coarse	8/16 Mesh Blend of Abrasive Grit
Heavy Duty Thickness	0.2" (beveled edges)
Colors	Black or Yellow

## » FIBERGLASS DECK STRIP SPECIFICATIONS

Medium Grit is a 20/30 Mesh Blend while our Heavy Duty/Coarse Grit is an 8/16 Mesh Blend of Mineral Abrasive Grit. Commercial Fiberglass Deck Strips are suitable for loading docks, walkways, bridges, piers, etc. (not suitable for barefoot areas). Both 2 and 4 inch widths are available in our Medium or Heavy Duty grit options and in our standard lengths of 24", 36", 48", 60" and 96". Custom lengths are available up to 144" upon request. These should be installed using adhesive and/or mechanical fasteners.





**Suitable for  
extreme and harsh  
environments such  
as gas/oil and mining**

**Can be pressure  
washed or scrubbed  
to maintain a clean  
appearance**

**Available in  
#19 Black and  
#08 Yellow**

**4 inch available in  
#17 Hazard Stripe**

**Available in 2 grit  
options:  
Heavy Duty/Coarse  
and Medium**


**Install using  
adhesive and/or  
mechanical fasteners**

**Visit  
[www.surefootcorp.com](http://www.surefootcorp.com)  
for additional  
installation instructions**

## » FIBERGLASS DECK STRIP SPECIFICATIONS

Both Black and Yellow colors available in Medium Grit and Heavy Duty/ Coarse Grit in either a 2 or 4 inch width.

Heavy Duty/ Coarse Yellow Grit in the 4 inch width and Medium Yellow Grit in the 2 inch width are shown below.



## » HAZARD STRIPE



The Fiberglass Deck Strip in #17 Hazard Stripe is only available in the 4 inch size in either Heavy Duty/ Coarse Grit or Medium Grit. Our 4 inch hazard pattern deck strips are made to order based on customer specifications up to 8 feet (96") in length. These should be installed using adhesive and/or mechanical fasteners.



20260 First Avenue | Cleveland, Ohio 44130 | Toll Free: 800-522-6566 | [www.surefootcorp.com](http://www.surefootcorp.com)  
**AMERICAN MADE & AMERICAN OWNED SINCE 1979**